

TRUE SPEED COOK MICROWAVES

| | ELECTROLUX E30SO75ESS | GE MONOGRAM Advantium 120 - ZSC1000/ZSC1001 | GE MONOGRAM Advantium ZSC2000/2001 | JENN-AIR JMV9169BAS/P/W/B | |
|-------------------------|--|--|---|--|--------------------------------------|
| DESCRIPTION | Configuration/Size | Built-in with trim kit included | Wall Oven / 27" or 30" | 30" Micro Hood Combo | |
| | Dimensions - W x D x H (inches) | 22-3/8 to 5/8 x 22-3/4 x 21-12/16 to 15/16 | 26-3/4 x 21-1/2 x 18-5/8 | 29-7/8 x 15-7/16 x 16-15/16 | |
| | Colors | Stainless Steel | White, Bisque, Black or Stainless Steel | White, Black or Stainless Steel | Stainless, Pro Stainless, Blk, White |
| | Capacity (Cu. Ft.) | 1.1 | 1.6 | 1.2 | 1.6 |
| COOKING MODES | Convection | Yes | Yes | No | 1600 watts |
| | Steam | No | No | No | No |
| | Microwave Power | 1,000 watts | 975 watts | 950 watts | 950 watts |
| | Combination | Yes | Yes | Yes | Yes |
| | Bake | Yes | Yes | Yes | Yes |
| | Broil - type of power | 1700 Watt Convection Element at top of cavity | Halogen | Halogen | Halogen |
| | Power Requirement | 240 VAC / 15 Amps | 120 Volts | 240 Volts | 120 Volts |
| | Type of Controls | Wave-Touch™ control panel technology | Glass Touch - Electronic Scrolling Display | Electronic Scrolling Display | Touch |
| SPECIAL FEATURES | Automatic or microwave speed cooking with over 100 programmed recipes Wave-Touch™ control panel technology that activates with a simple touch and gracefully dims when not in use. Manual controls with speed grilling, speed roasting, speed baking and convection options Two convection heating elements work independently to achieve broil, bake, and speed cook | True Convection/Speed/Mic/Warm Up to 4x faster than traditional oven/no preheat 16" turntable, fits 9 x 13 casserole dish Over 175 pre-programmed recipes 27" or 30" wall cabinet included | Up to 8x faster than traditional oven/no preheat 12.5" grilling/baking/micro tray Over 100 pre-programmed recipes 30" wall cabinet | Speed Cook Combo Cooking Variable Temp Convection Cooking Micro Convection Option Auto Broil Hidden Vent, Halogen Lights | |

Note: Check manufacturers' specifications to verify all information.



Concord Showroom
2260 Commerce Ave., Ste. B
Concord, CA 94520
Phone: 925-459-5300
Fax: 925-459-5320

Reno Showroom
7525 Colbert Drive, #108
Reno, NV 89511
Tel: 775-852-5600
Fax: 775-852-5650

Rohnert Park Showroom
476 Rohnert Park Expwy.
Rohnert Park, CA 94928
Phone: 707-588-3200
Fax: 707-586-0499

Sacramento Showroom
1200 Del Paso Road
Sacramento, CA 95834
Phone: 916-515-0525
Fax: 916-515-2450

San Jose Showroom
1720 Ringwood Ave.
San Jose, CA 95131
Phone: 408-907-3800
Fax: 408-907-3801

San Rafael Showroom
530 West Francisco Blvd.
San Rafael, CA 94901
Phone: 415-453-6070
Fax: 415-453-8234

TRUE SPEED COOK MICROWAVES

| | KITCHENAID KBHS109S | KITCHENAID KHMS2050SSS, KHHC2090S | MIELE H4080 BM | WHIRLPOOL GH7208XR | VIKING VHSO205 | |
|----------------------|--|---|--|--|--|---|
| DESCRIPTION | Configuration/Size | Built-In Architect Series II, 30" & 27" | Over the Range, 30" or 36" | 24" Built-in | Over the Range | |
| | Dimensions - W x D x H (inches) | 26-3/4 x 23 x 20-1/2 | 29-7/8 x 18-5/8 x 18-1/4 | 23-7/16 x 21-5/16 x 17-15/16 | 29-7/8 x 18-1/4 x 18-1/8 | 21 x 24-5/8 x 16 |
| | Colors | Stainless Steel | White, Black, Stainless Steel | Black w/ SS trim or All Black | Black-on-Black, White-on-White, Stainless Steel | Stainless Steel |
| | Capacity (Cu. Ft.) | 1.4 | 2.0 | 1.34 | 2.0 | 1.1 |
| | Convection | Yes | Yes | Yes | Yes | Yes |
| COOKING MODES | Steam | No | Yes | No | Yes | No |
| | Microwave Power | 900 watts | 1,200 watts | 1,000 watts | 1,200 watts | 1,000 watts |
| | Combination | Yes | Yes | Yes | Yes | Yes |
| | Bake | Yes | Yes | Yes | Yes | Yes |
| | Broil - type of power | 1,200 Watts Quartz | 1,500 Watts Halogen & Quartz | Yes, Halogen | 1,000 Watts Halogen, 500 Watt Quartz | Halogen |
| | Power Requirement | 240 Volts | 120 Volts | 208 - 240 Volts | 120 Volts | 240 V, single phase, 60 Hz, AC only |
| | Type of Controls | Glass Touch controls | LCD, Glass Touch Menu-driven Display | Navitronic - Touch Screen | LCD, Glass Touch Menu-driven Display | Touch Control |
| | SPECIAL FEATURES | OptimaWave™ Technology with True 10-Level Power Control Clean Release Non-Stick Interior Coating Easy Convection Time and Temperature Conversion System Frameless design | OptimaWave™ Technology with True 10-Level Power Control Clean Release Non-Stick Interior Coating Grill Rack, Steam Cooking container, Sizzle Pan w/handle TruCapture ventilation system, most efficient ventilation system in the MHC industry, 4-Speed Exhaust Hood Grills, Bakes, Broils, Steams, Combination, Microwave Cooking Stoppable 16" Turntable | Master Chef - Food driven programs, takes the guesswork out of cooking. Meat Probe - Measures to an accuracy of 1 degree. Can be used with or without Master Chef. Combination - Both Custom or Pre-programmed programs. Minute Key (+1 Minute) - For quick easy microwave use. | Clean Release Non-Stick Interior Coating Grill Rack, Steam Cooking container, Sizzle Pan w/handle TruCapture ventilation system, most efficient ventilation system in the MHC industry, 4 Speed Exhaust Hood, Grills, Bakes, Broils, Steams, Combination, Microwave Cooking Stoppable 16" Turntable | There are 17 microwave cooking options 84 favorite foods are preprogrammed in Speed Cooking The BASIC COOK speed cooking mode 100 recipes are preprogrammed in the RECIPES setting |

Note: Check manufacturers' specifications to verify all information.



Concord Showroom
2260 Commerce Ave., Ste. B
Concord, CA 94520
Phone: 925-459-5300
Fax: 925-459-5320

Reno Showroom
7525 Colbert Drive, #108
Reno, NV 89511
Tel: 775-852-5600
Fax: 775-852-5650

Rohnert Park Showroom
476 Rohnert Park Expwy.
Rohnert Park, CA 94928
Phone: 707-588-3200
Fax: 707-586-0499

Sacramento Showroom
1200 Del Paso Road
Sacramento, CA 95834
Phone: 916-515-0525
Fax: 916-515-2450

San Jose Showroom
1720 Ringwood Ave.
San Jose, CA 95131
Phone: 408-907-3800
Fax: 408-907-3801

San Rafael Showroom
530 West Francisco Blvd.
San Rafael, CA 94901
Phone: 415-453-6070
Fax: 415-453-8234

CONVECTION MICROWAVES

| | DACOR DCM24 | ELECTROLUX E30MO65GSS | GE PROFILE SPACEMAKER - JVM1790 | GE PROFILE Counter Top JE1590 | |
|----------------------|--|--|--|--|---------------------------------|
| DESCRIPTION | Configuration/Size | Built-in with optional trim kit (not included) | Built-in with trim kit included (E30MO65TMKT) | Over the Range | Counter Top |
| | Dimensions - W x D x H (inches) | 24-5/8 x 19 x 14-7/8 | 26-1/2 x 20-1/8 x 19-7/8 | 29-15/16" x 15-3/8" x 16-7/16" | 22-5/8" x 19-7/8" x 14-7/8" |
| | Colors | Stainless Steel, Black, Arctic White | Stainless Steel | White/Black/Bisque/Stainless | White, Black, Bisque, Stainless |
| | Capacity (Cu. Ft.) | 1.5 | 1.5 | 1.7 | 1.5 |
| | Convection Fan | Yes | Yes | Yes | Yes |
| FUNCTIONALITY | Convection Element | Yes | Yes | Yes | Yes |
| | Sensor Cooking | Yes | Yes | Yes | Yes |
| | Preset Cycles | 10 Sensor Cooking Modes | Yes | Chicken/Fish/Popcorn | Popcorn/Beverage/Reheat |
| | Turntable | Yes | Yes | Yes, stoppable | Yes, recessed |
| | Microwave Wattage | 900 Watts | 1,000 Watts | 1,000 Watts | 1,000 Watts |
| | SPECIAL FEATURES | Auto Broil, Bake, and Roast Functions Stainless Steel Interior High and low rack positions Install as stand alone or built-in | Auto-settings - Sensor settings, CompuBake, CompuBroil and CompuRoast Sensor Reheat, Minute Plus Temp Control: 100° F, 150° F, 275°-450° F in 25 degree increments | Combo convections / microwave cooking Warming Oven Auto Recipe Conversion English & Spanish 3-speed 300 CFM Vent | 10 power levels |



Note: Check manufacturers' specifications to verify all information.

Concord Showroom
2260 Commerce Ave., Ste. B
Concord, CA 94520
Phone: 925-459-5300
Fax: 925-459-5320

Reno Showroom
7525 Colbert Drive, #108
Reno, NV 89511
Tel: 775-852-5600
Fax: 775-852-5650

Rohnert Park Showroom
476 Rohnert Park Expwy.
Rohnert Park, CA 94928
Phone: 707-588-3200
Fax: 707-586-0499

Sacramento Showroom
1200 Del Paso Road
Sacramento, CA 95834
Phone: 916-515-0525
Fax: 916-515-2450

San Jose Showroom
1720 Ringwood Ave.
San Jose, CA 95131
Phone: 408-907-3800
Fax: 408-907-3801

San Rafael Showroom
530 West Francisco Blvd.
San Rafael, CA 94901
Phone: 415-453-6070
Fax: 415-453-8234

CONVECTION MICROWAVES

| | JENN-AIR JMC9158BAS/W/B | THERMADOR Masterpiece Series/ MCES | WOLF MWC24 | |
|----------------------|--|--|--|---|
| DESCRIPTION | Configuration/Size | In-wall or Counter Top | 27" | Free-standing or with optional 30" or 36" trim kit |
| | Dimensions - W x D x H (inches) | 22-5/8 x 20 x 14-7/8 | 22-5/8 x 19-7/8 x 14-7/8 26-3/4 x 19-7/8 x 20-5/16 w/ Mandatory Trim Kit | 24-3/4 x 20-1/8 x 14-7/8 |
| | Colors | Stainless, White, Black | Stainless Steel, Black | Stainless Steel |
| | Capacity (cu. ft.) | 1.5; In-wall needs trim kit | 1.5 | 1.5 |
| | Convection Fan | Yes | Yes | Yes |
| FUNCTIONALITY | Convection Element | Yes | Yes | Yes |
| | Sensor Cooking | Yes | Yes | Yes |
| | Preset Cycles | 10. Auto reheat, popcorn | 20 Easycook cycles | Convection Cook in 30 Modes, plus broil |
| | Turntable | Yes | 15" Ceramic turntable, Stoppable | Yes |
| | Microwave Wattage | 1,000 watts | 1,000 Watts | 900 Watts |
| | SPECIAL FEATURES | Convection Cooking Combo Bake and Roast Auto Bake and Roast Sensor Cooking Keep warm up to 99 min. | 10 power levels Matching design to new Masterpiece ovens Matching color of the display Stainless steel cavity | Multi-Language Trim-Kit available to match with 30" and 36" ovens |



Note: Check manufacturers' specifications to verify all information.

Concord Showroom
2260 Commerce Ave., Ste. B
Concord, CA 94520
Phone: 925-459-5300
Fax: 925-459-5320

Reno Showroom
7525 Colbert Drive, #108
Reno, NV 89511
Tel: 775-852-5600
Fax: 775-852-5650

Rohnert Park Showroom
476 Rohnert Park Expwy.
Rohnert Park, CA 94928
Phone: 707-588-3200
Fax: 707-586-0499

Sacramento Showroom
1200 Del Paso Road
Sacramento, CA 95834
Phone: 916-515-0525
Fax: 916-515-2450

San Jose Showroom
1720 Ringwood Ave.
San Jose, CA 95131
Phone: 408-907-3800
Fax: 408-907-3801

San Rafael Showroom
530 West Francisco Blvd.
San Rafael, CA 94901
Phone: 415-453-6070
Fax: 415-453-8234